

Period of Record 1928 to Present - Last Updated 12/01/07													
January Records for GSO													
Day	High	Year	Low	Year	Precip	Year	Snowfall	Year	High Min	Year	Low Max	Year	
1	75	1985	13	1998	0.86	1962	6.6	1962	54	1966	32	1947	
2	76	1952	12	1977	1.67	1936	2.6	2002	58	1966	30	2002	
3	72	2004	7	1979	1.77	1992	5.6	2002	54	1950	26	1979	
4	74	2005	10	1981	0.74	1982	1.1	1994	57	1950	31	1999	
5	71	1950	6	1981	1.13	1949	1.8	1960	57	2007	26	1959	
6	70	1955	13	1999	2.44	1962	6.0	1996	58	1950	27	1988	
7	71	1982	14	1988	1.12	1991	8.6	1988	61	1998	21	1988	
8	68	1998	6	1970	1.60	1978	4.3	1973	60	1998	19	1970	
9	70	2003	2	1970	1.22	1933	4.0	1977	55	1937	20	1970	
10	73	1949	1	1942	1.70	1984	3.5	1962	58	1937	18	1982	
11	67	2000	-5	1942	1.50	1975	2.0	1997	51	1972	23	1982	
12	67	2005	2	1981	0.98	1994	3.0	1968	53	1963	25	1981	
13	73	1960	6	1962	1.46	1968	3.1	1982	61	1932	27	1982	
14	71	2007	10	1973	0.94	2005	5.5	1982	59	1995	29	1988	
15	73	1960	6	1994	1.21	1998	5.4	1966	59	1932	23	1994	
16	71	1953	-1	1972	1.02	1941	3.7	1965	53	1947	17	1972	
17	76	1943	-2	1977	0.89	1937	1.8	1965	63	1943	18	1977	
18	66	1937	6	1994	1.62	1943	4.8	2000	60	1943	24	1977	
19	67	1951	-1	1994	2.02	1936	7.3	1955	50	1933	18	1994	
20	70	1951	-6	1985	2.11	1979	1.3	2000	50	1954	29	1983	
21	72	1933	-8	1985	1.60	1974	0.4	1983	54	1954	21	1985	
22	72	1967	4	1985	2.02	1954	10.2	1987	59	1933	29	1970	
23	73	1967	6	1936	1.23	2002	4.0	1940	57	1999	28	1954	
24	76	1967	4	1963	1.42	1958	10.0	1940	52	2002	25	1948	
25	75	1950	7	1963	2.55	1978	6.2	2000	57	1950	23	1940	
26	74	1950	3	1940	0.92	1974	7.9	1966	59	1950	22	1961	
27	72	1974	-7	1940	1.52	1998	2.5	1936	55	1952	22	1940	
28	78	1944	-2	1940	1.08	1952	4.1	1985	54	1944	23	1986	
29	78	1975	-7	1940	0.72	1966	7.2	1966	55	1957	23	1966	
30	78	2002	4	1966	0.90	1939	3.7	1930	56	1947	13	1966	
31	74	1975	3	1966	2.36	1957	1.0	1980	56	2002	22	1936	

February Records for GSO

Day	High	Year	Low	Year	Precip	Year	Snowfall	Year	High Min	Year	Low Max	Year
1	73	1989	-4	1936	1.11	1985	2.0	1972	52	1988	27	1971
2	78	1989	6	1971	2.21	1973	1.5	1978	56	1988	30	1951
3	79	1989	10	1980	1.50	1952	1.0	1936	52	1989	23	1996
4	73	1991	7	1996	1.33	1975	2.0	1975	50	1957	18	1996
5	72	1991	1	1996	1.59	1960	3.0	1929	53	1943	22	1996
6	66	1976	10	1995	2.04	1955	3.8	1984	52	1991	29	1978
7	71	1999	9	1978	1.24	1965	8.0	1936	50	1991	29	1979
8	71	1937	4	1936	0.59	1971	0.7	1961	51	1965	31	1995
9	69	1994	9	1995	1.35	1939	6.0	1948	52	1994	28	1934
10	74	1938	5	1979	2.51	1946	2.2	1948	50	1960	28	1973
11	78	1932	2	1936	1.09	1981	1.1	1983	55	1966	32	1983
12	73	1999	5	1936	0.86	1993	0.3	2001	55	1965	25	1955
13	73	1951	11	1955	1.46	1936	8.6	1960	47	1984	31	1986
14	76	1951	13	1968	1.04	1944	3.3	1965	53	1949	28	1943
15	78	1989	6	1943	1.16	1953	6.3	1958	57	1949	28	1943
16	74	1976	9	1958	2.22	1942	2.7	1996	58	1990	27	1958
17	76	1976	0	1958	1.26	1944	5.4	1989	61	1976	15	1958
18	71	1948	-1	1958	1.08	1960	9.3	1979	54	1981	18	1979
19	74	1939	12	1979	1.23	1981	1.1	1978	55	1961	32	1958
20	72	1930	14	1934	1.02	1947	3.0	1947	56	1939	29	1947
21	73	1930	13	1959	1.17	1993	2.9	1929	50	1954	32	1936
22	73	1930	9	1963	2.14	2003	2.1	2001	57	1980	29	1963
23	73	1980	10	1963	1.55	1984	3.3	1989	51	1996	28	1999
24	79	1982	12	1967	1.73	1979	3.7	1942	55	1985	33	1966
25	81	1930	6	1967	2.46	1934	0.6	1964	55	1985	27	1967
26	81	1977	10	1967	1.26	1958	6.0	1952	54	1957	31	1993
27	76	1996	3	1963	1.42	1982	7.5	1987	53	2000	24	1934
28	79	1948	10	1934	1.68	1966	4.0	1937	57	1948	27	1934
29	77	1972	22	1964	0.73	1952	3.2	1968	48	1976	38	1984

March Records for GSO

Day	High	Year	Low	Year	Precip	Year	Snowfall	Year	High Min	Year	Low Max	Year
1	77	2006	11	1937	0.85	1963	10.7	1969	50	1976	29	1980
2	79	1976	13	1980	1.07	1994	6.1	1960	60	1997	22	1980
3	82	1976	10	1980	2.37	1991	2.0	1942	56	1976	32	1953
4	84	1976	10	1943	1.74	1993	3.0	1931	56	1934	31	1960
5	81	1967	12	1960	1.25	1984	2.8	1962	61	1976	28	1960
6	77	1956	5	1960	2.89	1932	3.0	1962	64	1967	34	1960
7	81	1974	17	1960	1.20	1930	0.4	1947	63	1956	33	1989
8	83	2000	15	1960	1.99	1942	4.6	1947	57	1946	31	1996
9	81	1974	12	1996	1.66	1960	11.1	1960	58	1964	23	1960
10	78	2000	15	1932	1.25	1978	2.0	1975	57	2006	37	1996
11	86	1967	19	1929	0.86	1952	0.2	1934	58	2000	36	1960
12	86	1990	15	1934	2.01	1968	0.7	1960	58	1955	37	1960
13	85	1990	14	1960	2.41	1975	5.7	1993	59	2006	33	1993
14	82	1990	15	1960	1.02	1975	T	1951	58	1933	28	1993
15	87	1967	8	1993	1.14	1953	1.7	1937	59	1990	34	1937
16	85	1945	19	1970	1.59	2000	2.4	1960	65	1990	35	1960
17	90	1945	23	1981	1.93	1965	1.0	2005	61	1945	38	2005
18	79	1963	16	1967	0.95	1983	0.5	1936	56	2003	36	1961
19	84	1945	18	1967	1.27	1944	0.5	1947	57	1986	38	1947
20	86	1968	22	1981	2.71	2003	0.2	1965	64	1948	40	1950
21	89	1968	15	1965	1.71	1961	1.5	1973	60	1948	39	1960
22	85	1948	22	1986	1.24	1932	3.0	1981	63	1948	37	1985
23	81	2007	23	2004	1.36	1993	4.6	1981	59	1938	36	1934
24	86	1929	19	1940	1.42	1952	4.3	1940	59	2007	32	1940
25	87	1929	14	1940	1.08	1935	4.5	1974	62	1949	35	1972
26	86	1929	12	1972	0.88	1978	2.8	1971	61	1949	30	1971
27	85	2007	17	1955	1.42	1936	2.3	1947	60	2007	35	1947
28	85	2007	20	1982	1.57	1984	T	1947	62	1991	39	1996
29	86	1985	20	1966	3.60	1991	T	1959	61	1989	40	1944
30	85	1985	23	1964	1.02	2003	1.2	2003	61	1977	41	1970
31	86	1986	20	1964	1.49	1961	T	1965	63	1938	44	1931

April Records for GSO

April Records for GSO												
Day	High	Year	Low	Year	Precip	Year	Snowfall	Year	High Min	Year	Low Max	Year
1	85	1986	27	1987	0.86	1973	T	1993	59	1998	44	1931
2	87	1967	28	1942	2.15	1936	0.0		61	1979	48	1992
3	90	1967	25	1992	1.35	1960	T	1961	64	1946	42	1936
4	86	1934	21	1943	0.89	1931	T	1992	62	1999	44	1987
5	87	1942	26	1944	2.03	1957	T	1987	60	2003	42	1944
6	89	1967	26	1944	2.03	1936	T		65	1967	39	1931
7	91	1967	24	1982	1.32	2003	T	1989	59	2005	40	1935
8	88	1929	25	2007	1.50	1940	T	1982	60	2001	39	1982
9	87	2001	23	1972	2.25	1934	0.0		61	1999	44	1936
10	87	2001	24	1985	1.82	2003	0.0		63	1959	43	1984
11	91	1930	25	1960	2.69	1944	T	1950	58	1981	49	1973
12	94	1930	27	1973	1.41	2004	0.0		63	1948	46	2004
13	88	1930	25	1940	0.68	1980	T	1959	60	2001	40	1959
14	88	1941	29	1973	1.69	1955	T	1950	62	1974	46	1943
15	90	2006	24	1943	3.90	1987	T	1943	65	2006	47	1943
16	88	2002	25	1943	2.42	1993	0.0		66	2006	48	1929
17	90	1967	29	1953	1.16	1998	T	2001	63	2002	48	1939
18	90	1976	30	1956	0.76	1969	T	1983	63	1969	40	1983
19	90	2002	26	1983	1.86	1943	0.0		66	2002	42	1983
20	90	1985	28	1983	0.51	1935	0.0		65	1941	50	1933
21	90	1985	27	1956	3.97	1992	T	1997	63	2002	46	1933
22	89	1985	31	1953	1.14	1958	0.0		63	1967	53	1982
23	90	1980	30	1986	1.29	1970	0.0		63	1977	47	1971
24	90	1960	27	1986	1.65	1987	T	1955	62	2004	49	2005
25	91	1960	32	1930	1.75	1978	0.0		63	1976	52	1937
26	91	1990	34	1978	1.59	1978	0.0		65	2007	47	1978
27	90	1990	32	1930	1.88	1965	0.0		62	2007	54	1997
28	88	1957	32	1931	2.32	1997	0.0		65	1956	54	2000
29	88	1957	35	1973	1.80	1999	0.0		65	1956	46	1999
30	87	1962	33	1961	0.92	1949	0.0		64	1970	60	1999

May Records for GSO

Day	High	Year	Low	Year	Precip	Year	Snowfall	Year	High Min	Year	Low Max	Year
1	92	1962	36	1996	3.24	1989	0.0		64	2004	58	1964
2	90	1951	32	1963	1.27	1939	0.0		66	2002	51	1945
3	92	1959	35	1981	3.04	1956	0.0		65	1951	56	1971
4	92	1938	33	1986	3.11	1978	0.0		65	1942	46	1946
5	90	1955	34	1940	1.69	1989	0.0		65	1993	55	2003
6	91	1950	36	1973	1.90	1930	0.3	1930	65	1991	50	1992
7	93	1940	36	1989	2.21	1998	0.0		64	1965	49	1992
8	94	1940	32	1989	1.46	1960	T	1930	66	1938	52	1992
9	91	1936	35	1956	1.20	1974	0.0		68	2002	58	1989
10	93	1936	36	1966	0.77	1988	0.0		67	2003	57	1966
11	89	1965	34	1977	1.70	1950	0.0		65	1943	56	1949
12	90	1953	37	1969	1.38	1979	0.0		68	1968	50	1960
13	91	1956	38	1989	1.59	1948	T	1993	65	1991	59	1938
14	93	1956	40	1941	2.06	1972	T	2006	66	1991	51	1954
15	92	1962	38	1984	1.99	1934	0.0		66	1962	55	1978
16	92	1941	38	1973	1.03	1985	0.0		68	1991	53	1935
17	92	1947	38	1956	1.46	1946	0.0		69	1991	60	2001
18	92	1962	38	1973	1.22	1991	0.0		69	1995	55	2003
19	94	1962	41	2002	1.64	1930	0.0		67	2000	53	1981
20	94	1964	43	2002	1.69	1940	0.0		66	1959	49	1981
21	96	1941	42	1954	1.88	1942	0.0		67	1996	59	2002
22	97	1941	40	2002	1.49	2003	0.0		67	1962	52	1967
23	96	1941	38	2002	1.22	1984	0.0		70	1953	59	1931
24	92	1975	38	1931	1.74	1982	0.0		69	1955	57	1935
25	94	1953	43	1956	1.38	2003	0.0		69	2004	66	1968
26	93	1953	42	1930	1.97	1987	T	2006	69	1965	61	1992
27	95	1941	40	1961	1.97	1984	0.0		72	1991	62	1963
28	97	1941	36	1961	2.54	1973	0.0		70	1991	59	1992
29	98	1941	48	1971	2.01	1940	0.0		70	1941	51	1971
30	96	1953	45	1984	0.93	1934	0.0		68	1991	62	1992
31	95	1953	40	1984	1.95	1982	T	2003	71	1991	59	1967

June Records for GSO

June Records for GSO												
Day	High	Year	Low	Year	Precip	Year	Snowfall	Year	High Min	Year	Low Max	Year
1	95	1937	42	1930	1.45	1939	0.0		72	1991	56	1967
2	100	1951	44	1966	1.50	1962	0.0		69	1970	63	2005
3	98	1951	47	1966	1.35	1959	0.0		71	1951	61	1988
4	96	1943	46	1956	1.33	1982	0.0		71	1981	64	1997
5	96	1943	45	1988	1.77	1957	0.0		71	2002	69	1945
6	96	1943	43	1954	1.09	2002	0.0		73	1981	56	1997
7	94	1952	47	1998	2.94	1953	0.0		71	1984	63	1997
8	98	1933	42	1977	1.68	1951	0.0		72	2007	65	1997
9	99	1933	46	1931	1.77	1969	0.0		72	2007	59	1957
10	97	1947	48	1931	2.40	1982	0.0		75	1981	69	1994
11	95	1947	42	1972	3.20	1932	0.0		73	1981	71	1994
12	95	1944	42	1972	2.63	1993	0.0		72	1998	73	1932
13	96	1945	50	1980	1.07	1982	0.0		73	2005	69	1993
14	94	1964	48	1985	1.31	2006	T	1958	71	1945	67	2007
15	95	1981	42	1933	4.20	1969	0.0		73	1981	64	1965
16	95	1957	44	1933	1.50	1979	0.0		73	2004	62	1965
17	98	1944	50	1961	2.57	1951	0.0		76	2004	68	2003
18	100	1944	49	1961	1.19	1966	0.0		73	1970	67	1968
19	100	1944	52	1999	0.83	2000	0.0		77	1970	71	1995
20	99	1933	53	1959	2.16	1972	0.0		71	1977	63	1999
21	100	1933	50	1944	3.17	1972	0.0		73	1990	69	1999
22	99	1933	47	1992	1.54	1995	0.0		75	1981	73	1999
23	97	1988	51	1947	1.99	2006	0.0		72	1996	62	1936
24	100	1930	53	1947	1.29	1995	0.0		73	1996	67	1936
25	99	1952	52	1936	2.49	1980	0.0		73	1967	65	1980
26	101	1952	50	1979	1.60	2006	T	2001	73	1949	68	1961
27	102	1954	54	1985	2.36	2006	0.0		76	1969	72	1961
28	99	1959	53	1981	0.62	1986	0.0		76	1969	70	1974
29	99	1959	54	1981	1.50	1995	0.0		74	1969	73	1984
30	101	1959	54	1938	1.87	1999	0.0		74	1936	73	1985

July Records for GSO

Day	High	Year	Low	Year	Precip	Year	Snowfall	Year	High Min	Year	Low Max	Year
1	98	1954	55	1988	1.25	1942	0.0		77	1970	65	1943
2	98	1954	49	1988	1.53	2003	0.0		74	1970	70	1943
3	97	1970	52	1932	1.55	1987	0.0		73	1941	71	1943
4	98	1970	52	1933	1.95	1987	0.0		72	2005	69	1962
5	98	1990	48	1933	0.87	1937	0.0		74	1999	71	1972
6	100	1977	53	1979	1.42	1995	T	1995	76	1999	74	1972
7	101	1977	51	1972	1.88	1949	0.0		73	2004	70	1979
8	102	1977	53	1979	1.98	1934	0.0		74	1998	76	1984
9	101	1993	58	1984	1.48	1959	0.0		76	1987	74	1950
10	99	1990	54	1963	1.73	1978	0.0		77	1981	75	1963
11	98	1990	50	1963	1.99	1960	0.0		75	1992	72	1999
12	98	1930	53	1963	1.26	1958	0.0		76	2005	66	1999
13	98	1954	53	1963	1.72	1975	0.0		75	1981	65	1999
14	102	1954	54	1940	2.94	1944	0.0		77	1981	70	1999
15	97	1974	58	1940	2.57	1975	0.0		73	1992	70	1930
16	98	1980	58	1929	3.61	1978	0.0		74	1988	71	1930
17	97	1980	58	1946	4.16	2004	0.0		73	2005	72	1989
18	97	1986	55	1946	1.50	1984	0.0		76	1986	75	1944
19	98	1977	58	1946	0.92	1941	0.0		74	1996	78	1956
20	100	1977	58	1929	2.67	1979	0.0		75	1986	69	1937
21	99	1983	56	1929	2.28	1988	0.0		74	2005	66	1939
22	100	1952	54	1974	3.22	2006	0.0		75	1972	70	1970
23	99	1952	56	1947	2.33	1946	0.0		76	1999	74	1974
24	96	1995	52	1947	3.14	1975	0.0		75	1934	68	2000
25	97	1987	56	1947	2.03	1998	0.0		74	1969	68	2000
26	98	2005	57	1947	1.74	1984	0.0		74	2005	77	2000
27	99	1940	53	1962	1.46	1965	0.0		76	2005	74	2001
28	100	1952	54	1962	2.52	1984	0.0		74	1987	69	2001
29	101	1952	55	1946	3.19	2003	0.0		75	1993	67	1984
30	97	1954	56	1946	2.73	1936	T	1952	74	1931	72	2003
31	98	1953	56	1997	0.86	1952	0.0		74	2006	72	1936

August Records for GSO

Day	High	Year	Low	Year	Precip	Year	Snowfall	Year	High Min	Year	Low Max	Year
1	97	1970	56	1997	1.53	1994	0.0		75	2006	74	1936
2	99	1953	60	2001	1.75	1933	0.0		76	2006	75	1976
3	98	1942	55	1985	3.00	2003	0.0		76	2006	74	1962
4	98	1987	54	1985	2.02	1948	0.0		76	2006	69	1966
5	101	1930	52	1929	1.28	1986	0.0		76	2006	74	1971
6	98	2007	56	1957	2.47	1939	0.0		75	2007	71	1992
7	99	1977	53	1957	3.27	1987	0.0		77	2007	75	1992
8	100	2007	55	2004	3.18	1998	0.0		77	2007	74	1936
9	101	2007	55	1989	2.30	1970	0.0		80	2007	73	1970
10	100	2007	56	1989	2.17	1970	0.0		76	2007	66	1970
11	95	1983	59	1976	1.95	1986	0.0		75	2007	69	1989
12	96	1995	53	1954	2.77	1986	0.0		73	1980	71	1979
13	97	1995	52	1979	2.47	1992	0.0		74	1995	71	1992
14	99	1995	54	1983	3.52	1940	0.0		75	1995	66	2004
15	98	2007	52	1963	3.98	1949	0.0		77	1995	68	1992
16	99	2007	52	1979	1.72	1969	0.0		75	2007	65	1964
17	99	1988	50	1979	2.63	1955	0.0		74	1995	69	1992
18	103	1988	55	1981	1.48	1939	0.0		75	1995	71	1971
19	99	1988	56	1976	1.46	1929	0.0		76	1969	66	1981
20	100	1983	52	1943	1.64	1961	0.0		75	2007	66	1961
21	100	2007	55	1998	2.81	1965	0.0		75	1968	66	1949
22	100	1983	56	2000	2.96	1931	0.0		74	2006	64	1931
23	99	1983	53	1997	1.10	1949	0.0		73	2007	67	1931
24	98	1968	51	1931	2.32	1939	0.0		73	2007	74	1985
25	97	2007	50	1952	1.78	1978	0.0		75	2007	71	1957
26	98	1975	49	1942	1.42	1999	0.0		73	1975	68	1963
27	96	1987	50	1945	4.52	1995	0.0		75	1998	63	1944
28	98	1948	52	1969	1.69	1949	0.0		73	2003	65	1944
29	100	1948	47	1986	1.84	1988	0.0		74	2003	68	1986
30	100	1932	45	1986	2.59	1964	T	2006	73	2005	66	1946
31	101	1932	47	1946	2.63	1952	0.0		72	2005	66	2002

September Records for GSO

September Records for GSO												
Day	High	Year	Low	Year	Precip	Year	Snowfall	Year	High Min	Year	Low Max	Year
1	99	1932	48	1946	1.51	2000	0.0		72	1950	69	2006
2	99	1932	48	1948	1.01	2000	0.0		72	1993	68	1994
3	98	1930	50	1967	3.94	1996	0.0		73	1993	69	1976
4	98	1975	52	1997	2.32	1935	0.0		71	1993	68	1974
5	97	1954	47	1997	3.25	1979	0.0		71	1979	68	1987
6	100	1954	51	1982	2.97	1996	0.0		71	1983	65	1953
7	98	1954	46	1984	3.27	1987	0.0		70	2007	66	1974
8	96	1939	46	1984	4.73	1977	0.0		72	2004	67	1952
9	99	1939	47	1951	1.40	1988	0.0		71	1947	66	1988
10	95	2007	44	1956	0.82	1940	0.0		71	2001	69	1935
11	96	1983	47	1976	1.10	1965	0.0		72	2007	67	1944
12	95	1983	47	1976	1.64	1934	0.0		70	1989	63	1958
13	94	1962	45	1985	3.01	2006	0.0		70	1989	57	1964
14	94	1991	39	1985	3.78	2000	0.0		72	2005	57	1963
15	92	1956	41	1985	1.94	1999	0.0		73	1993	66	1976
16	93	1991	45	1985	3.61	1962	0.0		70	2002	68	2000
17	94	1954	41	1984	3.46	1945	0.0		73	1991	62	1959
18	94	1954	45	1990	2.28	2003	0.0		71	1991	61	1961
19	93	1954	41	1984	1.87	1966	0.0		69	2002	62	1929
20	93	1948	39	1929	1.30	1969	0.0		70	1988	61	1943
21	94	1931	43	1962	2.82	1947	0.0		71	1989	64	1969
22	95	1931	41	1942	5.11	1979	0.0		71	1989	57	1929
23	97	1931	38	1983	1.71	2003	0.0		70	2006	57	1947
24	92	1941	38	1963	7.46	1947	0.0		70	1955	55	1974
25	95	1933	37	1983	1.48	1989	0.0		70	1930	55	1989
26	93	1986	37	1950	3.71	1956	0.0		69	2005	53	1956
27	90	2007	39	1940	2.35	2004	0.0		69	1999	52	1937
28	92	1939	37	1947	2.08	1963	0.0		70	1999	50	1984
29	89	1973	35	1942	2.74	1944	0.0		70	1939	52	1957
30	89	1954	37	1942	4.48	1936	0.0		71	1954	56	1984

October Records for GSO

Day	High	Year	Low	Year	Precip	Year	Snowfall	Year	High Min	Year	Low Max	Year
1	90	1986	36	1993	4.06	1929	0.0		69	1965	60	1996
2	91	1986	32	1947	1.15	1929	0.0		67	1986	50	1958
3	91	1986	33	1974	1.17	1988	0.0		68	1941	54	1958
4	94	1954	31	1974	3.90	1964	0.0		72	1941	57	1996
5	95	1954	35	1974	1.59	1991	0.0		69	2007	54	1980
6	94	1954	33	1935	1.23	1945	0.0		69	2005	56	1935
7	92	1951	33	1935	1.84	1965	0.0		69	2005	54	2006
8	92	1941	30	1935	1.55	1976	0.0		69	1936	53	2000
9	91	2007	33	2001	2.74	1976	0.0		69	1959	49	1952
10	89	1939	33	2000	4.50	1959	0.0		66	1999	52	1952
11	86	1954	31	1964	2.14	2002	0.0		66	1999	48	1993
12	85	1962	30	1964	2.06	1990	0.0		64	2002	56	1957
13	88	1954	31	1988	1.51	1982	0.0		63	1990	48	1977
14	85	1975	29	1988	1.72	1959	0.0		62	1954	50	1937
15	87	1985	29	1937	6.24	1954	0.0		63	1985	53	2002
16	85	1953	29	1939	3.04	1932	0.0		66	1947	54	1977
17	83	2007	33	1970	2.56	1932	0.0		67	1947	53	1997
18	89	1938	25	1943	1.97	1968	0.0		66	1968	51	1966
19	86	1938	28	1948	1.35	1950	0.0		66	1984	48	1972
20	85	1993	25	1972	2.43	1976	0.0		64	1950	50	1972
21	85	1947	26	1972	0.95	1988	0.0		66	1984	51	1988
22	85	1947	25	1952	2.71	1990	0.0		66	1984	51	1983
23	86	1941	29	1987	1.74	1983	0.0		65	2007	48	1982
24	84	2001	28	1969	0.91	1982	0.0		64	2007	47	1982
25	83	1931	28	1962	2.09	2007	0.0		60	1971	46	1981
26	86	1940	23	1930	2.42	2007	0.0		61	1939	49	1962
27	87	1939	20	1962	1.46	1995	0.0		66	1939	47	2001
28	82	1984	27	1976	0.73	2002	0.0		63	1984	48	1976
29	82	1984	26	1976	0.72	1935	0.0		64	1984	48	2002
30	83	1996	25	1965	3.19	1949	0.0		62	2004	45	1980
31	85	1961	29	1963	1.26	1988	0.0		63	1971	49	1954

November Records for GSO

November Records for GSO												
Day	High	Year	Low	Year	Precip	Year	Snowfall	Year	High Min	Year	Low Max	Year
1	85	1950	25	1930	1.26	1985	T	1954	59	1984	49	1993
2	85	1974	23	1930	2.30	1992	T	1966	67	1971	43	1951
3	84	1974	24	1930	0.89	1929	T	1966	68	1961	44	1962
4	83	1946	25	1954	1.12	1985	0.0		66	1977	40	1939
5	81	1975	23	1945	0.98	2002	T	1953	65	2003	43	1995
6	80	1975	25	1982	1.98	1963	T	1953	65	1938	40	1953
7	78	1938	22	1930	1.64	1935	0.0		61	1938	44	1930
8	78	2005	18	1930	1.04	1943	T	1991	57	1975	42	1976
9	82	2005	18	1976	3.30	1962	0.8	1968	62	2000	42	1991
10	80	2006	25	1973	1.86	1987	0.1	1968	64	1966	40	1996
11	78	2006	19	1973	1.64	1979	2.0	1968	58	2002	40	1987
12	79	1989	17	1943	1.58	2004	3.0	1968	59	1982	42	1934
13	78	1955	22	1977	1.85	1940	0.0		60	1929	41	1976
14	77	1999	19	1986	1.38	1940	T	1934	58	1993	39	1976
15	81	1993	20	1969	1.98	1983	0.0		62	2005	39	1976
16	81	1958	16	1933	2.19	2006	T	1972	62	1955	41	1933
17	77	1964	15	1933	1.50	1946	T	1972	60	1930	42	1980
18	77	1942	21	1997	1.21	1968	T	1949	63	1931	39	1951
19	76	1942	20	1951	2.63	1938	1.7	2000	60	1931	34	1951
20	78	1942	12	1951	1.20	1954	0.0		61	1985	39	1951
21	79	1942	17	1951	2.07	1985	T	1949	64	1991	37	2000
22	74	2003	17	2000	0.91	1989	0.1	1929	58	1953	35	1929
23	74	1979	15	1937	0.99	1957	0.3	1929	56	2004	33	1929
24	76	1973	12	1970	1.58	1983	0.6	1950	63	1979	32	1970
25	74	1979	10	1970	2.18	1957	0.5	1950	63	2001	29	1950
26	74	1990	13	1950	1.13	1979	0.2	1956	53	1992	32	1950
27	74	2001	15	1950	2.34	1988	T	1980	61	1985	33	1930
28	77	2001	13	1930	2.04	1948	T	1966	60	1985	38	1932
29	75	2001	16	1955	0.98	1963	T	1967	57	1957	36	1959
30	74	1991	10	1929	0.79	1974	0.3	1964	62	1934	24	1929

December Records for GSO

Day	High	Year	Low	Year	Precip	Year	Snowfall	Year	High Min	Year	Low Max	Year
1	75	2006	9	1929	1.11	1996	0.2	1936	57	1991	29	1936
2	76	1991	19	1960	1.43	1929	T	1974	64	1991	34	1952
3	72	1970	15	1979	1.90	1990	4.2	1971	60	1982	31	1971
4	73	1998	13	1940	2.63	1962	3.5	2002	61	1964	30	2002
5	74	2001	17	1935	1.61	2005	1.2	2002	61	1982	32	2002
6	76	1998	16	1992	1.21	1930	1.0	1954	53	1998	36	2002
7	78	1998	13	1977	1.34	1974	T	1995	59	1998	32	1937
8	76	1998	13	1977	1.15	1989	1.2	1976	59	1951	34	1934
9	73	1966	17	2006	1.21	1978	0.2	1988	52	1971	27	1989
10	69	1972	14	1928	1.80	1952	1.1	1950	57	1972	32	1995
11	70	1971	10	1958	1.46	1961	2.4	1958	53	1971	29	1934
12	76	1931	1	1958	1.08	1989	0.2	1982	59	1931	22	1962
13	72	1931	0	1962	1.45	1998	1.4	1945	58	1931	25	1962
14	72	1984	13	1960	0.87	1999	3.5	1958	53	2001	29	1958
15	73	1984	6	1958	1.89	1972	1.7	1945	52	1971	30	1958
16	78	1971	5	1958	0.93	1970	4.6	1973	61	1971	25	1951
17	69	2006	6	1943	1.52	1930	14.3	1930	53	1937	26	1930
18	75	1984	7	1973	1.36	1959	2.7	1945	53	1933	30	1973
19	74	1931	9	1973	0.85	1934	0.3	2000	54	1967	29	1989
20	77	1931	9	2004	1.55	1951	0.3	1985	52	1931	27	2004
21	65	1984	6	1930	1.19	1951	0.1	1981	55	1984	26	1935
22	68	1967	7	1989	1.36	1967	2.0	1935	54	1956	20	1989
23	69	1990	1	1935	0.77	1956	1.3	1963	60	1990	20	1989
24	71	1964	4	1983	1.19	1986	2.6	1966	50	1974	28	1943
25	74	1955	1	1983	1.41	1945	2.8	1947	58	1932	18	1983
26	72	1982	5	1983	1.32	1943	0.5	1969	57	1964	25	1983
27	71	1971	8	1935	0.63	1939	0.5	1980	52	1940	30	1992
28	73	1984	13	1970	3.06	1958	T	1967	57	1940	27	1950
29	74	1984	13	1977	0.79	1962	6.3	1935	60	1954	22	1935
30	76	1984	9	1970	0.63	1948	0.7	1977	52	1974	26	1983
31	69	1929	1	1935	1.28	1975	2.7	1970	52	1936	26	1963